

## AMENDMENTS TO THE CLAIMS

Cancel claims 11-24 and 41-49 without prejudice.

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended)      A method in a computer system for preparing a program for customization, the method comprising:

for a plurality of statements of the program,

retrieving the statement;

identifying a type of the retrieved statement; and

when the identified type indicates that statements of that type can be customized,

identifying content of the statement that can be customized;

storing the identified content in a custom content bundle so that identified content can be later retrieved from the custom content bundle using a content identifier, the content identifier not including the identified content; and

replacing the identified content in the retrieved statement with an include content command having the content identifier so that when the include content command is processed, it retrieves content from a custom content bundle using the content identifier.

2. (original)      The method of claim 1 wherein the program is a server-executable web page and wherein the statements are tags.

3. (original)      The method of claim 2 wherein the statements are custom JSP tags.

4. (original)      The method of claim 2 wherein the statements are HTML tags.

5. (original)      The method of claim 2 wherein the server-executable web page is a JavaServer page.

6. (original) The method of claim 2 wherein the server-executable web page is an active server page.

7. (original) The method of claim 1 wherein the content is text.

8. (original) The method of claim 1 wherein the customization is language localization.

9. (original) The method of claim 1 wherein a custom content bundle from which the content is retrieved when processing the include content command is different from the custom content bundle in which the identified content is stored.

10. (original) The method of claim 9 wherein the different custom content bundles represent content in different languages.

11-24. (canceled)

25. (currently amended) A computer system for preparing a statement of a program for customization, comprising:

a component that determines whether the statement is of a type that can be customized;  
and

a component that identifies content of the statement that can be customized, that stores the identified content in a custom content bundle so that identified content can be later retrieved from the custom content bundle using a content identifier, and that replaces the identified content in the retrieved statement with an include content command having the content identifier so that when the include content command is processed, the content from a custom content bundle is retrieved using the content identifier, the content identifier not including the identified content.

26. (original) The computer system of claim 25 wherein the program is a server-executable web page and wherein the statements are tags.

27. (original) The computer system of claim 26 wherein the statements are custom JSP tags.

28. (original) The computer system of claim 26 wherein the statements are HTML tags.

29. (original) The computer system of claim 26 wherein the server-executable web page is a JavaServer page.

30. (original) The computer system of claim 26 wherein the server-executable web page is an active server page.

31. (original) The computer system of claim 25 wherein the content is text.

32. (original) The computer system of claim 25 wherein the customization is language localization.

33. (original) The computer system of claim 25 wherein a custom content bundle from which the content is retrieved when processing the include content command is different from the custom content bundle in which the identified content is stored.

34. (original) The computer system of claim 33 wherein the different custom content bundles represent content in different languages.

35. (currently amended) A computer system for preparing a statement of a program for customization, comprising:

means for determining whether the statement is of a type that can be customized;

means for identifying content of the statement that can be customized;

means for storing the identified content in a custom content bundle using a content identifier, the content identifier not including the identified content; and

means for replacing the identified content in the retrieved statement with an include content command having the content identifier.

36. (original) The computer system of claim 35 wherein the program is a server-executable web page and wherein the statements are tags.

37. (original) The computer system of claim 35 wherein the content is text.

38. (original) The computer system of claim 35 wherein the customization is language localization.

39. (original) The computer system of claim 35 wherein a custom content bundle from which the content is retrieved when processing the include content command is different from the custom content bundle in which the identified content is stored.

40. (original) The computer system of claim 39 wherein the different custom content bundles represent content in different languages.

41-49. (canceled)